

AFM[®]
ACTIVATED FILTER MEDIA

**DRYDEN
AQUA**
DISTRIBUTION

SUSTAINABLE
WATER
QUALITY

**FOR SMALL
RESIDENTIAL POOL
FILTERS**

AFM[®] MINI-BAG INSTALLATION & COMMISSIONING MANUAL



More information on our
website download section

www.drydenaqua.com/downloads

1

Before the installation,
calculate the amount of AFM® you need



► Determine the amount of sand and gravel specified by your filter manufacturer


► Multiply the total weight by 0.85 to calculate the total weight of AFM® needed.

Example: 25 kg (55 lbs) of sand x 0.85 = 21kg (47 lbs) of AFM®


If your filter uses 135kg (300lbs) of sand you will use 10 bags / 113 kg (250lbs) of AFM® (300 x 0.85 = 255) rounding the amount to the nearest bag count is recommended.

2

Use 100% AFM® ng Mix grade (0.4 - 1.2 mm)




MIX GRADE
0.4 - 1.2 mm




3**Filter installation**



EN



Before filling the filter with AFM[®], check your filter's laterals and make sure they are not damaged.



Half fill the filter with water and fill up with AFM[®] as determined in 1 and 2 above

4**Filter commissioning**

After installation, let AFM[®] soak to get it wet or run pool equipment on "filtration" for >24 hours to wet AFM[®]



Do not backwash AFM[®] for a minimum of 24 hours after the first installation. During the pool season, backwash filter at least once a week for 3 to 5 minutes.

DRYDEN AQUA

DISTRIBUTION



SUSTAINABLE
WATER
QUALITY



YouTube channel



Download section



Dr. Dryden is a marine biologist specialising in swimming pool water treatment. His mission is to eliminate toxic disinfection by-products and provide the best air and water quality on the market. For over 35 years, Dr. Dryden has been working with chlorinated systems for Dolphins and other aquatic mammals before successfully introducing his technology to the pool industry. Today, as a testament to the performance, safety and benefits of his water treatment solutions, over 500'000 swimming pools worldwide are using Dryden Aqua products.